

1/4"-4" POLYPROPYLENE

FEATURES

- Stainless steel rings, arms and pins
- Versatile — interchangeable with all types of cam lever couplings
- Precision molded — ensures a uniform and accurate fit
- Durable — polypropylene is glass reinforced for rugged strength
- Smooth operating — finger rings are designed for easy opening of cam levers
- Economical and superior in performance
- Standard with EPDM gaskets, FKM gaskets can be ordered separately on page 79
- Where noted, parts must be ordered in bag quantities
- 1/4", 3/8" and 1/2" series couplings interchange with 3/4" size couplings. Coupling ends are 3/4" size.
- 1 1/4" series couplings interchange with 1" size couplings. Coupling ends are 1" size.
- 1 1/2" x 1 1/4" couplings interchange with 1 1/2" size couplings. Coupling ends are 1 1/2" size.



WARNING! Couplings should not be disconnected under pressure or with liquid in the line.



STAINLESS STEEL CAM LEVER COUPLINGS

ITEM	DESCRIPTION	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2" x 1 1/4"	1 1/2"	2"	2 1/2"	3"	3" 3 ARMS	4" 3 ARMS
A	MALE ADAPTER X FEMALE THREAD	75A1/4	75A3/8	75A1/2	75A3/4	100A	125A	150125A	150A	200A		300A		400A
B	FEMALE COUPLER X MALE THREAD			75B1/2	75B3/4	100B	125B	150125B	150B	200B		300B	303B	400B
C	FEMALE COUPLER X HOSE SHANK			050C	075C	100C	125C	150125C	150C	200C		300C	303C	400C
D	FEMALE COUPLER X FEMALE THREAD		075D3/8	050D	075D	100D	125D	150125D	150D	200D		300D		400D
E	MALE ADAPTER X HOSE SHANK			050E	075E	100E	125E	150125E	150E	200E		300E		400E
F	MALE ADAPTER X MALE THREAD			050F	075F	100F	125F	150125F	150F	200F		300F		400F
PL	PLUG FOR FEMALE COUPLER			75PL	75PL	100125PL	100125PL	150PL	150PL	200PL	250PL	300PL		400PL
CAP	CAP FOR MALE ADAPTER			075CAP	075CAP	100125CAP	100125CAP	150CAP	150CAP	200CAP	250CAP	300CAP		400CAP (2 arms)
CAPSH	CAP WITH SHORT ARMS							200CAPSH						

1/4" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
75A1/4	3/4" MALE ADAPTER X 1/4" FEMALE THREAD	300	N/A	10/BAG

3/8" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
75A3/8	3/4" MALE ADAPTER X 3/8" FEMALE THREAD	300	N/A	10/BAG
075D3/8	3/4" FEMALE COUPLER X 3/8" FEMALE THREAD	300	N/A	10/BAG

1/2" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
75A1/2	3/4" MALE ADAPTER X 1/2" FEMALE THREAD	225	N/A	10/BAG
75B1/2	3/4" FEMALE COUPLER X 1/2" MALE THREAD	300	EPDM	10/BAG
050C	3/4" FEMALE COUPLER X 1/2" HOSE SHANK	300	EPDM	10/BAG
050D	3/4" FEMALE COUPLER X 1/2" FEMALE THREAD	300	EPDM	10/BAG
050E	3/4" MALE ADAPTER X 1/2" HOSE SHANK	300	N/A	10/BAG
050F	3/4" MALE ADAPTER X 1/2" MALE THREAD	300	N/A	10/BAG
075CAP	3/4" CAP X MALE ADAPTER	300	EPDM	10/BAG
75PL	3/4" PLUG X FEMALE COUPLER	300	N/A	10/BAG

¾" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
75A3/4	¾" MALE ADAPTER X ¾" FEMALE THREAD	225	N/A	10/BAG
75B3/4	¾" FEMALE COUPLER X ¾" MALE THREAD	300	EPDM	10/BAG
075C	¾" FEMALE COUPLER X ¾" HOSE SHANK	300	EPDM	10/BAG
075D	¾" FEMALE COUPLER X ¾" FEMALE THREAD	300	EPDM	10/BAG
075E	¾" MALE ADAPTER X ¾" HOSE SHANK	300	N/A	10/BAG
075F	¾" MALE ADAPTER X ¾" MALE THREAD	300	N/A	10/BAG
075CAP	¾" CAP X MALE ADAPTER	300	EPDM	10/BAG
75PL	¾" PLUG X FEMALE COUPLER	300	N/A	10/BAG

1" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
100A	1" MALE ADAPTER X 1" FEMALE THREAD	300	N/A	10/BAG
100B	1" FEMALE COUPLER X 1" MALE THREAD	300	EPDM	10/BAG
100C	1" FEMALE COUPLER X 1" HOSE SHANK	300	EPDM	10/BAG
100D	1" FEMALE COUPLER X 1" FEMALE THREAD	300	EPDM	10/BAG
100E	1" MALE ADAPTER X 1" HOSE SHANK	300	N/A	10/BAG
100F	1" MALE ADAPTER X 1" MALE THREAD	300	N/A	10/BAG
100125CAP	1" CAP X MALE ADAPTER	300	EPDM	10/BAG
100125PL	1" PLUG X FEMALE COUPLER	300	N/A	10/BAG

1¼" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
125A	1" MALE ADAPTER X 1¼" FEMALE THREAD	300	N/A	10/BAG
125B	1" FEMALE COUPLER X 1¼" MALE THREAD	300	EPDM	10/BAG
125C	1" FEMALE COUPLER X 1¼" HOSE SHANK	300	EPDM	10/BAG
125D	1" FEMALE COUPLER X 1¼" FEMALE THREAD	300	EPDM	10/BAG
125E	1" MALE ADAPTER X 1¼" HOSE SHANK	300	N/A	10/BAG
125F	1" MALE ADAPTER X 1¼" MALE THREAD	300	N/A	10/BAG
100125CAP	1" CAP X MALE ADAPTER	300	EPDM	10/BAG
100125PL	1" PLUG X FEMALE COUPLER	300	N/A	10/BAG

1½" X 1¼" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
150125A	1½" MALE ADAPTER X 1¼" FEMALE THREAD	225	N/A	10/BAG
150125B	1½" FEMALE COUPLER X 1¼" MALE THREAD	300	EPDM	1
150125C	1½" FEMALE COUPLER X 1¼" HOSE SHANK	300	EPDM	1
150125D	1½" FEMALE COUPLER X 1¼" FEMALE THREAD	300	EPDM	1
150125E	1½" MALE ADAPTER X 1¼" HOSE SHANK	225	EPDM	10/BAG
150125F	1½" MALE ADAPTER X 1¼" MALE THREAD	300	N/A	10/BAG
150CAP	1½" CAP X MALE ADAPTER	300	EPDM	1
150PL	1½" PLUG X FEMALE COUPLER	225	N/A	10/BAG

1½" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
150A	1½" MALE ADAPTER X 1½" FEMALE THREAD	225	N/A	10/BAG
150B	1½" FEMALE COUPLER X 1½" MALE THREAD	300	EPDM	1
150C	1½" FEMALE COUPLER X 1½" HOSE SHANK	300	EPDM	1
150D	1½" FEMALE COUPLER X 1½" FEMALE THREAD	300	EPDM	1
150E	1½" MALE ADAPTER X 1½" HOSE SHANK	200	N/A	10/BAG
150F	1½" MALE ADAPTER X 1½" MALE THREAD	300	N/A	10/BAG
150CAP	1½" CAP X MALE ADAPTER	300	EPDM	1
150PL	1½" PLUG X FEMALE COUPLER	225	N/A	10/BAG

¼"-4" POLYPROPYLENE

FEATURES

- Stainless steel rings, arms and pins
- Versatile — interchangeable with all types of cam lever couplings
- Precision molded — ensures a uniform and accurate fit
- Durable — polypropylene is glass reinforced for rugged strength
- Smooth operating — finger rings are designed for easy opening of cam levers
- Economical and superior in performance
- Standard with EPDM gaskets, FKM gaskets can be ordered separately on page 79
- Where noted, parts must be ordered in bag quantities
- ¼", ⅜" and ½" series couplings interchange with ¾" size couplings. Coupling ends are ¾" size.
- 1¼" series couplings interchange with 1" size couplings. Coupling ends are 1" size.
- 1½" x 1¼" couplings interchange with 1½" size couplings. Coupling ends are 1½" size.



WARNING! Couplings should not be disconnected under pressure or with liquid in the line.

1/4"-4" POLYPROPYLENE

FEATURES

- Stainless steel rings, arms and pins
- Versatile — interchangeable with all types of cam lever couplings
- Precision molded — ensures a uniform and accurate fit
- Durable — polypropylene is glass reinforced for rugged strength
- Smooth operating — finger rings are designed for easy opening of cam levers
- Economical and superior in performance
- Standard with EPDM gaskets, FKM also available
- Where noted, parts must be ordered in bag quantities
- 1/4", 3/8" and 1/2" series couplings interchange with 3/4" size couplings. Coupling ends are 3/4" size.
- 1 1/4" series couplings interchange with 1" size couplings. Coupling ends are 1" size.
- 1 1/2" x 1 1/4" couplings interchange with 1 1/2" size couplings. Coupling ends are 1 1/2" size.



WARNING! Couplings should not be disconnected under pressure or with liquid in the line.

2" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
200A	2" MALE ADAPTER X 2" FEMALE THREAD	225	N/A	10/BAG
200B	2" FEMALE COUPLER X 2" MALE THREAD	225	EPDM	1
201B	2" FEMALE COUPLER X 2" EXTENDED MALE THREAD	200	EPDM	1
200C	2" FEMALE COUPLER X 2" HOSE SHANK	225	EPDM	1
200D	2" FEMALE COUPLER X 2" FEMALE THREAD	200	EPDM	1
200E	2" MALE ADAPTER X 2" HOSE SHANK	200	N/A	10/BAG
200F	2" MALE ADAPTER X 2" MALE THREAD	300	N/A	10/BAG
200CAP	2" CAP X MALE ADAPTER	200	EPDM	1
200CAPSH	2" CAP X MALE ADAPTER W/SHORT ARMS	200	EPDM	1
200PL	2" PLUG X FEMALE COUPLER	225	N/A	10/BAG

2" X 1 1/2" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
200150C	2" FEMALE COUPLER X 1 1/2" HOSE SHANK	300	EPDM	1

2 1/2" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
250CAP	2 1/2" CAP X MALE ADAPTER	300	EPDM	1
250PL	2 1/2" PLUG X FEMALE COUPLER	300	N/A	1

3" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
300A	3" MALE ADAPTER X 3" FEMALE THREAD	100	N/A	1
300B	3" FEMALE COUPLER X 3" MALE THREAD	150	EPDM	1
303B	3" FEMALE COUPLER X 3" EXTENDED MALE THREAD	75	EPDM	1
303B200A	3" FEMALE COUPLER W/ 3 ARMS X 2" MALE ADAPTER	200	EPDM	1
300C	3" FEMALE COUPLER X 3" HOSE SHANK	200	EPDM	1
303C	3" FEMALE COUPLER W/ 3 ARMS X 3" HOSE SHANK	200	EPDM	1
300D	3" FEMALE COUPLER X 3" FEMALE THREAD	200	EPDM	1
300E	3" MALE ADAPTER X 3" HOSE SHANK	150	N/A	1
300F	3" MALE ADAPTER X 3" MALE THREAD	100	N/A	1
300CAP	3" CAP X MALE ADAPTER	100	EPDM	1
300PL	3" PLUG X FEMALE COUPLER	150	N/A	1

4" SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
400A	4" MALE ADAPTER X 4" FEMALE THREAD	75	N/A	1
400B	4" FEMALE COUPLER X 4" MALE THREAD	150	EPDM	1
400C	4" FEMALE COUPLER X 4" HOSE SHANK	150	EPDM	1
400D	4" FEMALE COUPLER X 4" FEMALE THREAD	100	EPDM	1
400E	4" MALE ADAPTER X 4" HOSE SHANK	50	N/A	1
400F	4" MALE ADAPTER X 4" MALE THREAD	75	N/A	1
400CAP	4" CAP X MALE ADAPTER (W/2 ARMS)	100	EPDM	1
400PL	4" PLUG X FEMALE COUPLER	75	N/A	1

EASY ACTION
LOCKING LEVER!



1½" - 2" SERIES LOCKING POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
L150B	1½" FEMALE COUPLER X 1½" MALE THREAD	300	EPDM	1
L150C	1½" FEMALE COUPLER X 1½" HOSE SHANK	300	EPDM	1
L150D	1½" FEMALE COUPLER X 1½" FEMALE THREAD	300	EPDM	1
L150CAP	1½" CAP X MALE ADAPTER	300	EPDM	1
L200B	2" FEMALE COUPLER X 2" MALE THREAD	225	EPDM	1
L200C	2" FEMALE COUPLER X 2" HOSE SHANK	225	EPDM	1
L200D	2" FEMALE COUPLER X 2" FEMALE THREAD	200	EPDM	1
L200CAP	2" CAP X MALE ADAPTER	200	EPDM	1

¼"-4" POLYPROPYLENE

FEATURES

- Tough 316 stainless steel to ensure durability
- Chemical resistant to protect against corrosion
- Precision made casting assures uniformity and proper fit
- Versatile to interchange with all types of cam lever couplings
- Smooth operation makes connections quick and easy
- Standard with Buna "N" gaskets and FKM available
- Where noted, parts must be ordered in bag quantities
- Locking cam arm lever is not intended to be used as a security device or prevent unauthorized opening of coupling assembly.



SPOOL ADAPTERS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
200FF	2" MALE ADAPTER X 2" MALE ADAPTER	150	N/A	1
300F200F	3" MALE ADAPTER X 2" MALE ADAPTER	75	N/A	1
300FF	3" MALE ADAPTER X 3" MALE ADAPTER	75	N/A	1

REPLACEMENT PARTS

PART NO	DESCRIPTION	QTY
100RING	RING FITS ¾" & 1"	1
150RING	RING FITS 1½", 2", 3", 4"	1
150(200)K	1½", 2" SS CAM ARM W/RING	1
300K	3" SS CAM ARM WITH RING	1
V20207	11" LANYARD	1
75SHM	¾" SHIM	1
100SHM	1" SHIM	1
150SHM	1½" SHIM	1
200SHM	2" SHIM	1
300SHM	3" SHIM	1
400SHM	4" SHIM	1
75G	½" & ¾" EPDM GASKET	10/BAG
75GV	½" & ¾" FKM GASKET	10/BAG
100G	1" & 1¼" EPDM GASKET	10/BAG
100GV	1" & 1¼" FKM GASKET	10/BAG
150G	1½" EPDM GASKET	10/BAG
150GV	1½" FKM GASKET	10/BAG
200G	2" EPDM GASKET	10/BAG
200GV	2" FKM GASKET	10/BAG
300G	3" EPDM GASKET	10/BAG
300GV	3" FKM GASKET	10/BAG
400G	4" EPDM GASKET	10/BAG
400GV	4" FKM GASKET	1
200KL	2" LOCKING CAM ARM WITH RING FITS 1½" & 2"	1
200PKL	2" COUPLING PIN FITS 1½" & 2"	1



LOCKING ARM
WITH RING



WARNING! Couplings should not be disconnected under pressure or with liquid in the line.

1½"-2" 90° & 45° POLYPROPYLENE

FEATURES

- Precision molded in polypropylene, reinforced with fiberglass for strength
- Stainless steel rings, arms and pins resist corrosion
- 90° angle couplings and adapters will reduce the number of elbows and other pipe fittings used in plumbing applications



WARNING! Couplings should not be disconnected under pressure or with liquid in the line.



1½" 90° POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
150A90	1½" 90° MALE ADAPTER X 1½" FEMALE THREAD	225	N/A	1
150C90	1½" 90° FEMALE COUPLER X 1½" HOSE SHANK	225	EPDM	1
150D90	1½" 90° FEMALE COUPLER X 1½" FEMALE THREAD	300	EPDM	1
150F90	1½" 90° MALE ADAPTER X 1½" MALE THREAD	300	N/A	1

2" 90° SERIES POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
200A90	2" 90° MALE ADAPTER X 2" FEMALE THREAD	225	N/A	1
200B90	2" 90° FEMALE COUPLER X 2" MALE THREAD	225	EPDM	1
200C90	2" 90° FEMALE COUPLER X 2" HOSE SHANK	225	EPDM	1
200D90	2" 90° FEMALE COUPLER X 2" FEMALE THREAD	200	EPDM	1
200F90	2" 90° MALE ADAPTER X 2" MALE THREAD	225	N/A	1


2" 45° POLY CAM LEVER COUPLINGS

PART NO	DESCRIPTION	MAX PSI	GASKET	QTY
200F45	2" 45° MALE ADAPTER X 2" MALE THREAD	225	N/A	1

SWITCH-A-ROOS

FEATURES

- The Switch-A-Roo is a fast, convenient method of changing spray nozzles on application equipment
- Precision molded in polypropylene, reinforced with fiberglass for strength
- The female coupling is normally mounted on the spray boom and the male adapter is made to fit all sizes of spray nozzles
- Available with self-aligning groove
- Where noted, parts must be ordered in bag quantities



SWITCH-A-ROOS

PART NO	DESCRIPTION	MAX PSI	QTY
75A1/4/SA	¾" MALE ADAPTER X ¼" W/SELF-ALIGNING GROOVE	300	10/BAG
75A3/8/SA	¾" MALE ADAPTER X ⅜" W/SELF-ALIGNING GROOVE	300	10/BAG
75A1/2/SA	¾" MALE ADAPTER X ½" W/SELF-ALIGNING GROOVE	225	10/BAG
75A3/4/SA	¾" MALE ADAPTER X ¾" W/SELF-ALIGNING GROOVE	225	10/BAG
75B1/2	¾" FEMALE COUPLER X ½" MALE THREAD	300	10/BAG
75B3/4	¾" FEMALE COUPLER X ¾" MALE THREAD	300	10/BAG

GARDEN HOSE FITTINGS

FEATURES

- Same construction and design that farmers use for their heavy spraying applications.
- Rugged, secure quick-connect cam arms
- Heavy-duty thick wall reinforced polypropylene
- Proven, leak-free construction
- Full flow design



GARDEN HOSE FITTINGS			
PART NO	DESCRIPTION	MAX PSI	QTY
GHFT075A	3/4" ADAPTER X 3/4" GARDEN HOSE FEMALE THREAD	225	10/BAG
GHMT075B	3/4" COUPLER X 3/4" GARDEN HOSE MALE THREAD	300	10/BAG
GHFT075D	3/4" COUPLER X 3/4" GARDEN HOSE FEMALE THREAD	300	10/BAG
GHMT075F	3/4" ADAPTER X 3/4" GARDEN HOSE MALE THREAD	300	10/BAG
GHFT075MPT	3/4" MALE NPT X 3/4" GARDEN HOSE FEMALE THREAD	300	10/BAG
GHMT075FPT	3/4" FEMALE NPT X 3/4" GARDEN HOSE MALE THREAD	300	10/BAG
GHMT075MPT	3/4" MALE NPT X 3/4" GARDEN HOSE MALE THREAD	300	10/BAG
GHFT075G	3/4" GARDEN HOSE FITTING GASKET	N/A	10/BAG



GARDEN HOSE NOZZLE

FEATURES

- Heavy duty machined aluminum construction stands up to hard use
- Comfort grip soft rubber
- Resists dents, mars and scratches; protects any surface that comes in contact with nozzle
- Aluminum hose connection provides a tight fit, will not rust
- Multiple spray pattern adjusts from a powerful jet stream to a gentle fan spray. Ideal for all your spraying needs.
- Stainless steel spray cap for precise spray patterns



Spray nozzle patterns

GARDEN HOSE NOZZLE			
PART NO	DESCRIPTION	MAX PSI	QTY
GHN075	3/4" GARDEN HOSE SPRAY NOZZLE	N/A	1