

Kamlok IBC-Adapter

Part A — Camlock male adaptor X female thread



Product Description	DKS Nr.
1" part A, 1" Camlock adapter X S60X6 female buttress C/W	ACA100-PP
1 ½" part A, 1 ½" Camlock adapter X S60X6 female buttress	ACA150-PP
2" part A, 2" Camlock adapter X RD 78 female G/P/P	on request
2" part A, 2" Camlock adapter X 2" BSP female (2828) C/W s	on request
2" part A, 2" Camlock adapter X S60X6 female buttress C/W	ACA200-PP
2" part A, 2" (short) Camlock adapter X S60X6 female buttress	on request
2" part A (short) Camlock adaptor X S60X6 female EX thread	on request
2" part A (short) Camlock male X 2" NPS female ex	on request
2" part A, 2" ext. part A, 2" Camlock adapter X S60X6 female	ACA200-PP/EX
2" part A, 2" Camlock adapter X M80X3 female (KT), G/P/P	on request

Part F — Camlock male adapter X mail thread



Product Description	DKS No.
1 ½" part F, 1 ½" Camlock adapter X 2" BSPT male G/P/P	F150200-PP
2" part F, 2" Camlock adapter X 1 ¼" BSPT male, G/P/P	F200125-PP
2" part F, 2" Camlock adapter X 1 ½" BSPT male, G/P/P	F200150-PP

Part C — Camlock female coupler X Hose tail



Product Description	DKS No.
2" part C, 2" Camlock coupler X 2" (25mm) hose tail G/P/P	C200-PP
2" part C, 2" Camlock coupler X 1 ¼" (32mm) hose tail G/P/	C200-PP/32
2" part C, 2" Camlock coupler X 1 ½" (38mm) hose tail G/P/	C200-PP/38
2" part C, 2" Camlock coupler X 1" (25mm) hose tail G/P/P	C200-PP/25

Part HB — Male threaded X connector



1



2



3

Product Description	DKS No.
2" BSP male X S60X6 male buttress, G/P/P	PPA60x6 A32
2" part 'B', 2" Camlock coupler X S60X6 male buttress, G/P/P	BCA200-PP
2" Part 'D', 2" Camlock coupler x S60X6 female buttress G/P/P	DCA200-PP

Part HC — Female swivelling thread X hose tail



1



2



3



4

Product Description	DKS No.
2" part HC, S60X6 female buttress X 2" 50mm) hose tail	004IG60x6 050
2" part HC, S60X6 female buttress X 1 1/4" (32mm) hose tail	004IG60x6 032
2" part HC, S60X6 female buttress X 1 1/2" (38mm) hose tail	004IG60x6 038
2" part HC, S60X6 female buttress X 1" (25mm) hose tail	004IG60x6 025

Part HD — Female thread X female thread



1



2



3



4

Product Description	DKS No.
1 1/4" BSP female X S60X6 female buttress C/W seal G/P/P	PPI20 I60x6
1 1/2" BSP female X S60X6 female buttress C/W seal G/P/P	PPI24 I60x6
2" BSP FEMALE X S60 X 6 FEMALE BUTRESS C/W SEAL G/P/P	PPI32 I60x6
2" NPSM female X S60X6 female buttress C/W seal G/P/P	on request

Seals — 2" (S60X6) sealing gasket



1



2

Product Description	DKS No.
2" Flat gasket, nat. EPDM/P.P. (Santopene)	EP 43x54x4 /P.P.
S60X6 (2" BSP/NPS) flat rounded gasket, PE elastomer, Nat.	PE S60x6

Übergangstück mit drehbarer Überwurfmutter für IBC - Container

IBC- Übergangstück aus Polypropylen schwarz IG x IG
eine Seite Überwurfmutter drehbar mit Innengewinde S60X6 buttress C/W
Gewindedichtung aus PE Elastomer hell
andere Seite **wahlweise** :

BSP- Innengewinde Grösse DN20 3/4"
Qualität: 150.PPI12 I60x6-S



BSP- Innengewinde Grösse DN25 1"
Qualität: 150.PPI16 I60x6-S

BSP- Innengewinde Grösse DN32 1 1/4"
Qualität: 150.PPI20 I60x6-S



BSP- Innengewinde Grösse DN38 1 1/2"
Qualität: 150.PPI24 I60x6-S

BSP- Innengewinde Grösse DN50 2"
Qualität: 150.PPI32 I60x6-S

